


MF 7S SERIES 155-210 HP

STRAIGHTFORWARD AND DEPENDABLE FARMING EXPERIENCE





 12 MADE FOR YOU

YOUR MF 7S SERIES AT A GLANCE

Designed for ultimate efficiency, the MF 7S Series is equipped with the latest straightforward and dependable technology to deliver low operating costs.

Efficient drivelines. Tier 4 Final emissions with an advanced All-in-One system, low fuel consumption, long service intervals, impressive traction and lift capacities, together with low maintenance costs – the MF 7S Series simply makes your farming operation more profitable.

Ultimate comfort for a more productive working day

- ► Cab and front-axle suspension
- ► High-visibility color dashboard display
- ► New ergonomic armrest and controls
- ▶ Up to 16 LED work lights (optional)

Low cost of operation



WITH FIVE MODELS TO CHOOSE FROM, THE MF 7S IS ALWAYS THE RIGHT CHOICE

	MF 7S.155	MF 7S.165	MF 7S.180	MF 7S.190	MF 7S.210		
Engine	AGCO Power – Tier 4 Final – All-in-One technology						
Engine Capacity	6-cylinder, 6.6 liter						
Transmission	Dyna-6 –						
	Dyna-VT						
Maximum Power	155	165	180	190	210		
Maximum Power With EPM (HP)	175	185	210	220	220		
Rated PTO Power (HP)	120	125	135	145	165		



Efficient drivelines

Dyna-6 Super Eco semi-powershift and Dyna-VT transmissions with Engine Power Management deliver more power when it is needed most

New Datatronic 5 and optional Fieldstar 5 terminal provide the latest smart farming package


- ▶ 9" touch-screen terminal
- New MF Guide solutions for reducing overlaps
- Fewer skips and wasted product with MF Section and Rate Control
- ► Send and share job records on the cloud with MF TaskDoc® Pro
- Remote monitoring and decision making through MF Connect telemetry

Ability to work faster with the toughest implements

Up to five spool valves to the rear and two to the front, including front linkage and Power Beyond installation, plus a high lift capacity hitch

MADE FOR **PERFORMANCE**

The new MF 7S Series is the pure embodiment of power meets sustainable efficiency with 6.6-liter, 6-cylinder AGCO Power™ engines employing Massey Ferguson's exclusive, most advanced "All-in-One" system to meet strict emission regulations.



Particle reduction versus the previous stage

THE CLASSIC VERSION LOGICAL, STRAIGHTFORWARD OPERATION

Classic is the entry-level package for the MF 7S Series, but it is anything but basic.

It includes all the key elements you would expect from your Massey Ferguson, with a blend of simplicity, ease of use and versatility to suit applications that require additional power and performance.

THE CLASSIC VERSION

THE NEW STANDARD FOR STRAIGHTFORWARD OPERATION

rake-to-Neutral ir conditioning with manual djustment	T-lever transmission operation Dyna-6 Super Eco with standard Automatic Mode	MF Connect telemetry-ready with five-year subscription
djustment	,	with five-year subscription
<u>, </u>	Automatic Mode	
<u> </u>		ISOBUS
elescopic, wide-angle wing mirrors	Engine speed memory A	MF Guide system-ready with
USB ports	Dyna-6 Super Eco 25 mph Eco	MF TaskDoc
tandard air suspended seat	transmission	Design the second
	Closed center, load sensing	
	hydraulics	
	3 mechanical spool valves	
lechanical passive cab suspension	Integrated Front Linkage System	Fieldstar 5 terminal
ront axle suspension	and PTO	MF Guide system with advanced
	Dyna-6 Eco 31 mph transmission*	guidelines
	Loader ready from factory with	MF Section & Rate Control
	multifunction mechanical joystick	MF TaskDoc Pro recording all job's
	4 mechanical spool valves	data exchange
	USB ports tandard air suspended seat echanical passive cab suspension	USB ports andard air suspended seat Dyna-6 Super Eco 25 mph Eco transmission Closed center, load sensing hydraulics 3 mechanical spool valves Integrated Front Linkage System and PTO Dyna-6 Eco 31 mph transmission* Loader ready from factory with multifunction mechanical joystick



MECHANICAL MULTIFUNCTION LOADER JOYSTICK MAIN FUNCTIONS

A Lift	
B Lower	
C Fill	
D Dump	
COMBINED FUNCTIONS	
A/C Lift and fill	
A/D Lift and dump	
B/C Lower and fill	
B/D Lower and dump-bucket adjustme	nt to
horizontal position	



THE DELUXE VERSION

BOOST YOUR PRODUCTIVITY

Deluxe is the high specification package for the MF 7S Series, designed to help you work smarter and get better results.

Dedicated to delivering increased productivity thanks to its key features, the Deluxe package enables you to work faster, to a higher standard, with more accuracy, together with high levels of comfort, ergonomics and reliability. Stay in control of the most technologically advanced and demanding implements to take advantage of their increased productivity.

THE DELUXE VERSION

ADVANCED EQUIPMENT TO HEIGHTEN YOUR EFFICIENCY AT WORK

COMFORT

SpeedSteer

STANDARD

Mechanical passive cab suspension Air conditioning with manual adjustment Telescopic, wide-angle wing mirrors Armrest with new MultiPad lever 2 USB ports Automatic air suspended seat

EFFICIENCY

25 mph Super Eco transmissions Cruise control and Brake-to-Neutral Closed center 29 gal/min hydraulics Electrical and mechanical spool valves Engine speed memo A or B 2 electrical spool valves with electrical micro-joystick and 2 mechanical spool valves

Dyna-6 with Automatic Mode or Dyna-VT

CONNECTIVITY

MF Connect telemetry-ready with five-year subscription Datatronic 5 touch-screen terminal 9"

(with tractor settings management & ISOBUS integrated, camera & MF Guide

MF Guide system-ready with MF TaskDoc

OPTION

Mechanical active cab suspension Front axle suspension Automatic air conditioning 16 LED working Lights Heated, electric-adjust mirrors Automatic air suspended swivel seat with lateral suspension, Dynamic **Damping System**

31 mph* Dyna-6 Eco with Supercreeper or 31 mph* Dyna-VT Integrated Front Linkage System and 1000 rpm front PTO Loader-ready from factory with multifunction electrical joystick Closed center load sensing hydraulics with 39 or 50 gal/min

Fieldstar 5 terminal MF Guide system with advanced guidelines MF Section & Rate Control MF TaskDoc Pro recording all job's

data exchange

Customizable function Reverse control Proportional live third control Fourth hydraulic function Increase or decrease speed

Forward control

EFFICIENT ELECTRO HYDRAULIC MULTIFUNCTION JOYSTICK

A Lift front loader or rear valve control +

B Lower front loader or rear valve control -

C Fill front loader or rear valve control +

D Dump front loader or rear valve control

^{*} Depending on market/legislation





MADE FOR **SMART FARMING & CONNECTIVITY**

The new MF 7S Series range has taken Smart Farming and connectivity to new heights with real-time information and remote service, the intuitive Datatronic 5 interface and Fieldstar 5 terminal control features such as: MF Guide, MF Section and Rate Control as well as data transfer and management through MF TaskDoc and TaskDoc Pro.

KEY BENEFITS FOR YOU



Guidance systems are proven to save up to 12% fuel in field operations



NO OVERLAPS

MF Guide virtually eliminates overlaps



SAVINGS

Using MF Guide helps you save money by reducing overlaps, precision application and increasing efficiency



COMFORT

Using MF Guide helps to reduce fatigue and stress by guiding you efficiently through your working day





PARTS & SERVICE IT'S ALL ABOUT A LIFETIME OF SUPPORT

Buying, owning and maintaining equipment can be complex. That's why ensuring you have support and peace of mind is always an important consideration. With Massey Ferguson, you can count on personalized, responsive support from our network of dealers.

With Massey Ferguson, there's no cut-off time for Parts and Service, meaning we're available to you throughout the lifetime of your machine.

There's a pride and responsibility built into every piece of equipment we sell, and we make it our mission to keep your machine running smoothly, every single time you turn the key.

Ask your dealer about AGCO Protection, an extended warranty program that prolongs your coverage and safeguards against the cost of sudden breakdowns.



AGCO replacement parts are made to the same high standards as those used on the assembly line, so your AGCO® equipment will stay running like new. Talk to your dealer, or shop at parts.agcocorp.com to find the AGCO Genuine Parts you need.



Focus on your operation, not on scheduling maintenance. With AGCO GenuineCare plans, your service intervals are predetermined. You'll avoid downtime and be able to better plan your costs thanks to transparent pricing, bundles and discounts.



MAKE THE MF 7S SERIES

AS INDIVIDUAL AS YOUR FARM







	CLASSIC	DELUXE
ENGINE		
AGCO Power — 6.6 liter	•	•
All-in-One technology	•	•
TRANSMISSION		
Power Control — multifunction shuttle lever	•	•
Right-hand shuttle control		•
T-Lever on console	•	
A MultiPad lever on Command Control Armrest	-	•
Dyna-6 Super Eco (25 mph @ 1500 rpm)	•	•
Dyna-6 Eco (31 mph* @ 1800 rpm)	0	0
Dyna-VT Super Eco 25 mph or Eco 31 mph* with Automatic Mode		0
C1 & C2 cruise speed memories	•	•
Brake-to-Neutral - Clutch effect	•	•
OPERATOR ENVIRONMENT		
Air conditioning with manual adjustment	•	•
Air conditioning with automatic control		0
Air suspended swivel seat	•	•
Air suspended seat with heater and pneumatic lumbar adjustment		0
Automatic air suspended swivel seat, ventilated, 2 heating levels, pneumatic lumbar, longitudinal & lateral shock absorber, dual motion backrest and DDS		0
Passive mechanical cab suspension	0	•
Active mechanical cab suspension		0
FM radio, CD, MP3, USB & front auxiliary	0	- 140
FM or DAB + (digital) radio, CD, MP3, Bluetooth connection, USB & front auxiliary	1000	0
Radio — controls in the armrest		•
Telescopic double angle mirrors with electric adjustment and de-icing		0
SpeedSteer	•	•
16 work lights package — with daytime running LED signature	0	0

- Not available
- Standard specification
- O Optional
- * Depending on market legislation

	CLASSIC	DELUXE
OPERATOR ENVIRONMENT		
MF TECHNOLOGIES		
MultiPad with ISOBUS implement control switch assignment		•
MF Guide Ready	•	•
NovAtel receiver — from sub-foot to sub-inch precision	0	О
Trimble receiver — from sub-foot to sub-inch precision	0	О
MF Section Control — 36-section control	0	0
MF TaskDoc Pro — wireless data transfer	0	0
CHASSIS AND HYDRAULICS		
Front axle suspension	0	0
Mechanical control of spool valves	•	•
Electrical controls of spool valves		•
6 Loader ready tractor with electro hydraulic multifunction joystick control		O
Loader ready tractor with mechanical multifunction joystick control	О	- 600
Power Beyond with couplers	О	O
Rear linkage with Active Transport Control	•	•
Automatic PTO	•	•
Mechanical PTO speed selection	•	
Automatic traction management (4WD & differential lock)	•	•
Hydraulic top link on rear three-point linkage	0	<u> </u>
Integrated front linkage (capacity of 7,055 lb or 8,818 lb depending on model)	0	0
Integrated front PTO	О	0
CONVENIENCE		
Automatic isolator switch	•	•
Standard toolbox	•	•
External lift control on fenders	•	•
External PTO start/stop control on fender	•	•
External remote valve control on fender		•
OTHER EQUIPMENT (SPECIFICATIONS MAY VARY BY MARKET)		
Pivoting front fenders	О	0
Pneumatic trailer brakes*	О	0
Hydraulic and pneumatic trailer brakes*	0	0









TECHNICAL SPECIFICATIONS

ENGINE		MF 7S.155	MF 7S.165	MF 7S.180	MF 7S.190	MF 7S.210
Engine type			AGC	O Power with "All-in-One" techn	ology	
Number of cylinders/number of valves/displacement	No. /No./L	6/4/6.6				
Aspiration			Elec	tronic wastegate turbo and interc	ooler	
Injection type		Common rail				
Fan type				Vistronic		
Maximum power	SISO hp (kW)	155 (114)	165 (121)	180 (132)	190 (140)	210 (157)
Engine rpm at maximum power	rpm			1950		
Maximum power with EPM	hp	175 (129)	185 (136)	210 (154)	220 (162)	220 (162)
Fuel tank capacity	Gallons	ASTRA -	2 48 36 6	80.6		
DEF tank capacity	Gallons	7.9				
DYNA-6 TRANSMISSION						
Number of gears (Fwd x Rev)	Fwd x Rev	24 x 24				
Min. speed @ 1400 rpm	mph	0.7				
25 mph Eco/Super Eco at engine speed with max. tire dimension	rpm	1500 (with 650/65 R42)				
31 mph* Eco at engine speed with max. tire dimension	rpm		1800 (with 650/65 R42)	Control of the contro		
DYNA-VT TRANSMISSION						
Туре		Stepless, continuously variable transmission				
Field speed range	mph	Forward: 0.02-17 mph - reverse: 0.02-10 mph				
Road speed range	mph	Forward: 0.02-25 mph - reverse: 0.02-23 mph/Forward: 0.02-31 mph* - reverse: 0.02-23 mph				
REAR LINKAGE AND HYDRAULICS						
Lower links type	Cat	Cat 3				
Maximum lift capacity, at link end	lb	21,164				
Standard hydraulic system	gal/min	Closed center load sensing 29 gal/min				
Optional hydraulic system	gal/min		Closed ce	enter load sensing 39 gal/min or s	50 gal/min	
Maximum number of rear spool valves	ATTO WALL OF			4 (Dyna-6) / 5 (Dyna-VT)		

S ISO 14396

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson dealer or distributor prior to any purchase.


Not availableDepending on market legislation

		MF 7S.155	MF 7S.165	MF 7S.180	MF 7S.190	MF 7S.210
REAR POWER TAKE-OFF						
Engine speed at		SOLDER W. CO.			1,781,5459	
540/1000 Dyna-6	rpm		1980/2030 -			
540/540 Eco/1000/1000 Eco Dyna-6	rpm		1980/1530/2030/1570			
540/540 Eco/1000/1000 Eco Dyna-VT	rpm			1870/1500/1900/1530		
Shaft diameter	in.		1 3/8" 6 & 21 splines			
INDEPENDANT FRONT LINKAGE AND FRONT POWER TAKE-OFF					Mark Commence	
Lower links type	Cat	Cat 3				
Maximum lift capacity, at link end	lb	7,055				
Maximum number of front spool valves		2				
Engine speed at 1,000 front PTO speed		1,920				
WHEELS AND TIRES (FULL RANGE AVAILABLE. PLEASE CONSULT YOUR DEALER)						
Front				380/85 R28		
Rear		460/85 R38				
WEIGHTS (MAY VARY DEPENDING ON CONFIGURATION. PLEASE CONSULT YOUR DEALER)						
Minimum weight/average weight/maximum weight	lb	12,787/15,432/17,968 13,889/16,535/18,519				
Maximum gross vehicle weight up to*	lb	27,558 30,865				

^{*}Depending on market legislation

DIMENSIONS

		MF 7S Dyna-6	MF 7S Dyna-VT
A Wheelbase	in.	11:	3.4
B Overall length from front linkage to rear linkage arms	in.	220.6	
B Overall length from front weight frame to rear linkage arms	in.	194.0	
C Height at center of rear axle to top of cab	in.	83.1	84.4
D Total height	in.	117.5	118.9





APPLY NOW FOR PRE-APPROVAL* www.masseyferguson.com



or scan the QR code to get started.



SEY FERGUSON

BORN TO FARM